



June 2024

CORPORATE PRESENTATION

NASDAQ: INDP

DISCLAIMERS

This presentation contains forward-looking statements with the meaning of Section 21E of the Securities and Exchange Act of 1934, as amended, Section 27A of the Securities Act of 1933, as amended, and the Private Securities Litigation Reform Act. These include statements regarding management's expectations, beliefs and intentions regarding, among other things: our product candidates development, including the timing and design of the Phase 1 clinical trial of Decoy20; our expectations regarding the recommended Phase 2 dose for subsequent multi-dosing and combination studies and related timing; the anticipated effects of our product candidates; our plans to develop and commercialize our product candidates; the market potential and treatment potential of our product candidates, including Decoy20; our commercialization, marketing and manufacturing capabilities and strategy; our expectations about the willingness of healthcare professionals to use our product candidates; our general business strategy and the plans and objectives of management for future operations; our research and development activities and costs; our future results of operations and condition; the sufficiency of our cash and cash equivalents to fund our ongoing activities. Forward-looking statements can be identified by the use of forward-looking words such as "believe", "expect", "intend", "plan", "may", "should", "could", "might", "seek", "target", "will", "project", "forecast", "continue" or "anticipate" or their negatives or variations of these words or other comparable words or by the fact that these statements do not relate strictly to historical matters. For example, forward-looking statements are used in this presentation when we discuss Indaptus's future plans and expected timeline of its development pipeline.

Forward-looking statements relate to anticipated or expected events, activities, trends or results as of the date they are made. Because forward-looking statements relate to matters that have not yet occurred, these statements are inherently subject to risks and uncertainties that could cause our actual results to differ materially from any future results expressed or implied by the forward-looking statements. Many factors could cause actual activities or results to differ materially from the activities and results anticipated in forward-looking statements, including, but not limited to the following: our limited operating history; conditions and events that raise substantial doubt regarding our ability to continue as going concern; the need for, and our ability to raise, additional capital given our lack of current cash flow; our clinical and preclinical development, which involves a lengthy and expensive process with an uncertain outcome; our incurrence of significant research and development expenses and other operating expenses, which may make it difficult for us to attain profitability; our pursuit of a limited number of research programs, product candidates and specific indications and failure to capitalize on product candidates or indications that may be more profitable or have a greater likelihood of success; our ability to obtain and maintain regulatory approval of any product candidate; the market acceptance of our product candidates; our reliance on third parties to conduct our preclinical studies and clinical trials and perform other tasks; our reliance on third parties for the manufacture of our product candidates during clinical development; our ability to successfully commercialize Decoy20 or any future product candidates; our ability to obtain or maintain coverage and adequate reimbursement for our products; the impact of legislation and healthcare reform measures on our ability to obtain marketing approval for and commercialize Decoy20 and any future product candidates; product candidates of our competitors that may be approved faster, marketed more effectively, and better tolerated than our product candidates; our ability to adequately protect our proprietary or licensed technology in the marketplace; the impact of, and costs of complying with healthcare laws and regulations, and our failure to comply with such laws and regulations; information technology system failures, cyberattacks or deficiencies in our cybersecurity; and unfavorable global economic conditions. These and other important factors discussed under the caption "Risk Factors" included in our most recent Annual Report on Form 10-K filed with the SEC on March 13, 2024, and our other filings with the SEC, could cause actual results to differ materially from those indicated by the forward-looking statements made in this presentation.

All forward-looking statements speak only as of the date of this presentation and are expressly qualified in their entirety by the cautionary statements included in this presentation. Indaptus does not undertake any obligation to update or revise forward-looking statements to reflect events or circumstances that arise after the date made or to reflect the occurrence of unanticipated events, except as required by applicable law.

This presentation contains information about investigation-stage drug products under development, which have not yet been approved by the FDA for commercial distribution in the United States. All representations in this presentation are based upon investigations in certain clinical and other research, but which accordingly should not be construed as general claims for the safety or efficacy of the products when used by patients.

This presentation and information contained herein constitutes confidential information and is provided to you on the condition that you agree that you will hold it in strict confidence and not reproduce, disclose, forward or distribute it in whole or in part without our prior written consent and is intended for the recipient hereof only. By accepting delivery of this presentation, you acknowledge and agree that all of the information contained herein or disclosed orally in connection with this presentation is confidential, that you will not distribute, disclose or use such information for any purpose other than for the purpose of your participation in the potential offering, that you will not distribute, disclose or use such information in any way detrimental to us, and that you will return to us, delete or destroy this presentation upon request.

This presentation is not intended and does not constitute an offer to sell or the solicitation of an offer to buy any securities, nor shall there be any sale of securities in any jurisdiction in which such offer, solicitation or sale would be unlawful prior to the registration or qualification under the securities laws of any jurisdiction. No offering of securities shall be made except by means of a prospectus meeting the requirements of Section 10 of the Securities Act of 1933, as amended.

DEVELOPING NOVEL, PATENTED SYSTEMICALLY-ADMINISTERED ANTI-CANCER & ANTI-VIRAL IMMUNOTHERAPIES



Indaptus Opportunity Highlights

Indaptus Therapeutics is a clinical biotechnology company developing novel and patented anti-cancer and anti-viral immunotherapies using gram-negative bacteria to safely prime and/or activate innate and adaptive immune pathways

• Phase 1 clinical trial of INDP020 (Decoy20) for treatment of solid tumors completed in August 2023 and second cohort completed in 1Q 2024	• Multi-cohort of safety data presented in 2Q 2024 at ASCO (American Society of Clinical Oncologists) showing transient cytokine/chemokine elevation
• Upcoming clinical milestones	• Multi-dose safety data expected in 2H 2024 • Multi-dose monotherapy efficacy data expected in 2025 • Combination Proof of Concept data expected in late 2025/early 2026
• Flexible technology	• Potential applications across oncology, infectious diseases and other areas of immunology
• Experienced Leadership	• Experiences in large pharma, academic institutions and small biotechs

INVESTOR HIGHLIGHTS AND KEY METRICS



STOCK SYMBOL : INDP (NASDAQ)

Stock Price (5/31/24)	\$2.37
52 Week Range	\$1.56 - \$4.08
Average Daily Volume (3 months)	87K
Common Shares Outstanding	8.5M
Market Capitalization (5/31/24)	\$20.3M
Cash & Equivalents (3/31/24)	\$9.7M
Enterprise Value	\$10.6M
Insider Ownership (%)	16.9%

Recent News

GLOBENEWSWIRE

Indaptus Therapeutics to Present New Cohort Data Confirming Original “Pulse-Prime” Hypothesis Via Phase 1 Clinical Trial of Decoy20 at the American Society of Clinical Oncology Annual Meeting

GLOBENEWSWIRE

Indaptus Therapeutics Announces Completion of First Patient to Receive Multiple Doses of Decoy20, the Company’s Broad-Based, “Pulse-Prime” Immuno-Oncology Therapy for Advanced Solid Tumors

GLOBENEWSWIRE

Indaptus Therapeutics Presents Positive Mechanism of Action Data at the American Association for Cancer Research Annual Meeting

Analyst Reports

Buy Rating Affirmed for Indaptus Therapeutics Amid Promising Decoy20 Clinical Advancements

Indaptus Therapeutics, Inc.
First Patient Completes Multi-Dosing of Decoy20 in P1; Key Part of Study to Watch

Summary

Indaptus Therapeutics (NASDAQ: INDP) announced today that the first patient has completed the multi-dosing portion of Decoy20 in the company's ongoing P1 trial in solid tumors.

As a reminder, the original "Pulse-Prime" had anti-cancer effects, but the challenge was finding the right dose of Decoy20 to maximize efficacy while minimizing toxicity. Indaptus has now found the right dose, and the company is now testing Decoy20 in a new cohort of patients with solid tumors.

Thus far, the P1 has demonstrated positive safety data, some initial efficacy data, and encouraging immune response signals in cohort 1 and 2. These results are consistent with the mechanism of action of Decoy20, which is to activate the immune system against cancer cells.

Indaptus Therapeutics is a clinical-stage biotechnology company focused on developing novel immunotherapy treatments for cancer. The company's lead product, Decoy20, is a broad-based, "Pulse-Prime" immuno-oncology therapy for advanced solid tumors.

Details

Decoy20 is a novel immunotherapy treatment that works by activating the immune system against cancer cells. It is a broad-based, "Pulse-Prime" immuno-oncology therapy for advanced solid tumors.

Indaptus Therapeutics is a clinical-stage biotechnology company focused on developing novel immunotherapy treatments for cancer. The company's lead product, Decoy20, is a broad-based, "Pulse-Prime" immuno-oncology therapy for advanced solid tumors.

Estimate Changes

Analyst: H.C. Wainwright & Co.
Rating: Buy

Indaptus Therapeutics, Inc. (INDP)
Market Cap: \$20.3M
Revenue: \$0.0M
EPS: \$0.00

Confirmed Decoy20 Clinical Progress: Mechanistic ACR Data: Relate Buy

Stock Data

Symbol	Price	Volume
INDP	\$2.37	87K

Key Metrics

Metric	Value
Market Cap	\$20.3M
Revenue	\$0.0M
EPS	\$0.00

Analyst Comments

Indaptus Therapeutics is a clinical-stage biotechnology company focused on developing novel immunotherapy treatments for cancer. The company's lead product, Decoy20, is a broad-based, "Pulse-Prime" immuno-oncology therapy for advanced solid tumors.


INDAPTUS' IMMUNOTHERAPY PIPELINE

Broad portfolio of clinical programs utilizing Indaptus' proprietary platform


Name	Description	Indication	Discovery	Optimization Characterization	Preclinical	Phase 1	Phase 2
INDP010 (Decoy10)	Chemically-Modified Platform Strain	Multiple					
INDP020 (Decoy20)	Proprietary Chemically-Modified Clinical Development Strain	Advanced/ Metastatic Tumors					
INDP012	Chemically and Genetically-Modified Platform Strain	Oncology					
INDP014	Chemically and Genetically-Modified Platform Strain	Infectious Diseases					
INDP016	Chemically and Genetically-Modified Platform Strain	Oncology					

LOW CURE RATES IN ADVANCED CANCERS

Current cancer immunotherapies only address a limited part of the immune system



POTENTIALLY FIRST-IN-CLASS SAFELY ACTIVATED INNATE AND ADAPTIVE IMMUNE PATHWAYS



RE-IMAGINING IMMUNOTHERAPY

A broad, brief immune activation approach

Current Immunotherapy Approaches


- Most immunotherapy approaches target one or only a few immune components
- Most current therapies require continuous exposure
- Long duration of exposure ranging from weeks to months can lead to immune related toxicities
- Response rates are often below 50%
 - Five-year survival rates are often below 20%

Decoy Platform Approach

- Decoy Therapeutics contain a package of immune agonists that activate both innate and adaptive immune pathways
- Decoy Therapeutics provide a “pulse-prime” activation that is cleared within a few hours – reducing the potential for long-term toxicity
- In humans, Decoy Therapeutics transiently activate more than 50 cytokine/chemokines that may work synergistically in attacking tumors

Why Utilize Gram-Negative Bacteria?

- Gram-negative bacteria contain many innate and adaptive immune activators
- Killed bacteria provide both a short duration of exposure and the ability to stimulate both innate and adaptive pathways
- Most steps of innate and adaptive immune activation occur outside the tumor environment, necessitating systemic, rather than intratumoral therapy
- Activation of the innate pathway is required for an optimal adaptive response



I.V. ADMINISTERED GRAM-NEGATIVE BACTERIA TOXICITY

Gram-negative bacteria are toxic due to surplus of lipopolysaccharide

Lipopolysaccharide (LPS-endotoxin) TLR4 agonist is:

- One of the most potent and broadly acting immune system activators
- Constitutes about 75% of Gram-negative bacterial cell membrane
- Potent inducer of cytokines - including IL-6, which contributes to cytokine release syndrome (CRS)

Two options – eliminate or reduce LPS (activator of TLR4)


- **Elimination of LPS**
 - Was tried (Vion Pharmaceuticals) – no anti-tumor activity in Phase 1, suggesting a need to activate TLR4
- **Reduce LPS to provide a safer and potentially more optimal immune response**
 - Indaptus estimates a ~90% reduction in LPS will be safe and will allow i.v. administration of more of all the other immune agonists
 - TLR4 is required for dendritic cell activation, antigen processing and presentation for anti-tumor immunotherapy¹
 - LPS induces M1 Macrophage polarization, stimulates NK cells, induces maturation of APC/Dendritic cells, primes and amplifies T & B cell function and enhances Th1 immune responses²

1. Fang Cell Mol Immunol 11 150 2014; Apetoh Nature Medicine 13 1050 2007

2. Buscher Nature Comm 8 16041 2017; Arenas Drug Targets 12 221 2012

DECOY THERAPEUTICS

How Decoy Therapeutics are produced



Naturally occurring bacteria are challenging for use as a therapy (particularly with regards to toxicity)



First, Indaptus starts with a laboratory-strain *E.coli* that requires a molecule not found in humans so it cannot replicate nor grow in the human body




Next, lipopolysaccharide (LPS) on the cell membrane is inactivated by about 90% to reduce toxicity



Finally, the bacteria are killed and stabilized to preserve the remaining package of immune agonists for use as an I.V. therapy

CLINICAL DEVELOPMENT PLAN



Key Milestones

- ☑ First dosing of Decoy20 in 1Q 2023
- ☑ Initial single dose safety data 2H 2023
- ☑ Initiate Expansion of Decoy20 in 1Q 2024
- ☑ Multi-cohort single dose safety data 1H 2024

Anticipated Milestones

- ☐ Multi-dose safety data 2H 2024
- ☐ Initiate Combo trial 1H 2025
- ☐ Combo Proof of Concept data in late 2025 / early 2026

Cohort 1 & Cohort 2 Data*: PULSE-PRIME HYPOTHESIS CONFIRMED

- Decoy20 clears within 2 hours
- Observed transient induction of more than 50 cytokines/chemokines involved in anti-tumor immune responses
- Tolerability results consistent with the proposed mechanism of action
- Mostly mild to moderate side effects as anticipated
- Common side effects like fever, chills, hypotension were transient and resolved within ~24-48 hours

* First two cohorts n=11, interim data as of June 1st 2024




Summary Of Decoy20 Clinical Observations In Phase 1 (cont.)

Cohort 1 & Cohort 2 Data*: PULSE-PRIME HYPOTHESIS CONFIRMED

- Decoy20 clears within 2 hours
- Observed transient induction of more than 50 cytokines/chemokines involved in anti-tumor immune responses
- Tolerability results consistent with the proposed mechanism of action
- Mostly mild to moderate side effects as anticipated
- Common side effects like fever, chills, hypotension were transient and resolved within ~24-48 hours

* First two cohorts n=11, interim data as of June 1st 2024





Summary Of Decoy20 Clinical Observations In Phase 1 (cont.)

Cohort 1 & Cohort 2 Data*: PULSE-PRIME HYPOTHESIS CONFIRMED

- Decoy20 clears within 2 hours
- Observed transient induction of more than 50 cytokines/chemokines involved in anti-tumor immune responses
- Tolerability results consistent with the proposed mechanism of action
- Mostly mild to moderate side effects as anticipated
- Common side effects like fever, chills, hypotension were transient and resolved within ~24-48 hours.

* First two cohorts n=11, interim data as of June 1st 2024

Table 3. All AEs Grade 3 or Higher Irrespective of Relatedness

Preferred Term	7x10 ⁷ Decoy20 (n=4)		3x10 ⁷ Decoy20 (n=7)		
	Grade 3	Grade 4	Grade 3	Grade 4	Grade 5
Acute kidney injury			1		
ALT increased			1		
AST increased	2		1		
Bradycardia	1				
Dyspnea			1		
Failure to thrive				1	
Fatigue			1		
Hematuria			1		
Hyperkalemia				1	
Hyponatremia			1		
Hypotension					1
Infusion-related reaction	1				
Leukopenia			1		
Lymphopenia		4	2	3	
Malaise	1				
Venous stenosis			1		

Table 2. All Treatment-Related Adverse Events

Preferred Term	7x10 ⁷ Decoy20 (n=4)				3x10 ⁷ Decoy20 (n=7)			
	Grade 1	Grade 2	Grade 3	Grade 4	Grade 1	Grade 2	Grade 3	Grade 4
All Treatment	1	1			1	1		
Arthralgia								
AST increased			2		1	1		
Back pain								
Colic/abdominal increased					1			
Adrenaline/epinephrine increased	1							
Total bilirubin increased					1			
Bradycardia								
Chills	2	1	1		1			
Constipation					2			
Decreased appetite	2							
Fatigue	2							
Fever > 38.5°C increased					1	1		
Headache	1				1			
Intermittent arthralgia	1							
Myalgia					1			
Hypokalemia								
Hypophosphatemia	1							
Hypotension		2			2			
Infusion-related reaction	1	1						
WBC increased					1			
Leukopenia					1		1	
Lymphopenia							2	3
Malaise			1		1			
Nausea					1			
Neutrophil count decreased	2				1			
Pruritus					1			
Pain severity							2	
Platelet count decreased					1			
Prothrombin time prolonged					1			
Purple	2							
Rash-maculo papular					1			
	1							

PLASMA CYTOKINE/CHEMOKINE

Data from 1st Decoy20 clinical cohort

Cytokines and Chemokines Inducing Migration, Activation, Maturation and/or Proliferation of Immune Cells	Responsive Immune Cell Type: All Participate in Anti-Tumor Immune Responses
GM-CSF, IL-1β, IL-4, IL-12, IL-15 , IFN- $\alpha\beta$, IFN-γ	Dendritic Cells
IL-2, IL-12, IL-18, TNF-α	Gamma-Delta ($\gamma\delta$) T-Cells
IL-1β, IL-8 , IFN- $\alpha\beta$, IFN-γ, MIP-1$\alpha\beta$, TNF-α	M1 Macrophage
IL-2, IL-10, IL-12, IL-15, IL-18, IL-21 , IFN- $\alpha\beta$, IFN-γ	NK Cells
IL-12, IL-18, IL-21 , IFN- $\alpha\beta$, IFN-γ	NKT Cells
GM-CSF , IFN- $\alpha\beta$, IL-4, IL-8, MIP-1α, TNF-α	Neutrophils
GM-CSF, IL-1β, IL-2, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-12, IL-15, IL-18, IL-21 , IFN- $\alpha\beta$, IFN-γ, MIP-1$\alpha\beta$, TNF-α, TNF-β	T-Cells (Th1, Th17 or Th2 CD4+ or CD8+) Including CIK, CTL, LAK

■ Indicates: Exhibited Between 3 to 250-Fold Transient Induction

APPROVED CHECKPOINT & CAR-T THERAPIES


Comparison to approved checkpoint and CAR-T therapies

Indaptus' Decoy Technology – Comparison to Approved Checkpoint and CAR-T Immunotherapies				
Immune Polarization/Activation & Key Features	Approved Therapies			
	Anti-CTLA-4	Anti-PD-(L)1	CAR-T	Decoy
M1 Macrophages		?		✓
NK Cells				✓
NKT Cells				✓
Dendritic Cells				✓
CD4 ⁺ T Cells	?			✓
CD8 ⁺ T Cells	✓	✓	✓	✓
Treg Immune Suppressor	↓↑	↓↑		↓
Immune Organs (Spleen/Liver) Targeted				✓
Primary Tumors and Metastasis in Liver Targeted				✓
Applicable to Hematopoietic and Solid Tumors	✓	✓		✓
Does Not Require Targeting to a Specific Antigen	✓	✓		✓
Does Not Require Personalized Manufacturing	✓	✓		✓

Decoy mechanism demonstrated with combination setting in vivo or single agent in vitro assays





FOR ILLUSTRATIVE PURPOSES ONLY: the efficacy of Decoy20 has not been established in human, including with respect to its potential mechanism of action, and no head-to-head clinical trial has been conducted evaluating Decoy20 against any other candidates or products. Differences exist between study results and other characteristics, and caution should be exercised when comparing data and other factors from unrelated studies

CLINICAL TRIAL: Phase 1 Clinical Trial Breakdown and Design Indaptus THERAPEUTICS



CLINICAL SITES

Clinical sites currently enrolling in phase 1 study



DECOY THERAPEUTICS ARE MORE BROADLY ACTIVE THAN MONO-SPECIFIC TLR AGONISTS

Secretion by Human PBMCs <i>In Vitro</i>	CpG (TLR9)	Poly(I:C) (TLR3)	R848 (TLR7/8)	LPS (TLR4)	Decoy10* (TLR2,4,8,9)
Anti-Tumor Cytokine	pg/mL (triplicate full titration peak average from two exp)				
GM-CSF	0	2	136	27	1,246
IFN γ	7	248	61,914	33,293	171,284
IL-12p70	4	15	205	84	375
TNF α	65	334	36,663	24,944	73,069
MIP-1 α **	0	272	17,866	19,278	29,942


*Decoy therapy tested at doses therapeutically relevant for in vivo models

**From one experiment


SINGLE AGENT ACTIVITY

Metastatic mouse pancreatic carcinoma & orthotopic CT26 mouse colorectal carcinoma

	No Treatment	Decoy 5×10^7	Gem	Decoy 2×10^8
Median Survival	27 Days	35 Days $P < 0.01$	41 Days $P < 0.01$	75 Days $P < 0.01$



Tumor fragments were sewn onto the cecal wall on Day 0 (7 mice/group)




DECOY + NON-STEROIDAL ANTI-INFLAMMATORY DRUG (NSAID) SAFELY ERADICATES SUBCUTANEOUS MOUSE HEPATOCELLULAR CARCINOMAS (HCC)


Treat 6 mice per group with Decoy 2x per week i.v. for 7 weeks / Start treatment at 103 mm³

NSAIDS reduce myeloid-derived immune suppressive cells

Decoy + NSAID




NSAID alone



Toxicity = transient 2-day weight loss during first 3 weeks of treatment


COMBINATION WITH ANTI-PD-1 CHECKPOINT THERAPY PRODUCES UP TO 100% COMPLETE RESPONSES WITH HCC



IMMUNOLOGICAL MEMORY

Immunological memory is seen when “cured” mice are re-challenged

Mice cured by DECOY + NSAID + Checkpoint Inhibitor and Re-Challenged on Day 91 on the opposite flank with fresh HCC tumor cells reject the tumors



**All 1st challenge tumor sites remained tumor-free*


12 mice with ~200 mm³ H22 HCC tumors (Day 7) were treated with Decoy (1x/week x 6), Anti-PD-1 (2x/week x 2) and NSAID (QD x 6 weeks) 11/12 mice with complete regressions were re-challenged on Day 91 with fresh H22 HCC tumor cells (no further treatment) All new tumor challenges were rejected demonstrating 100% immunological memory

SYSTEMIC ADMINISTRATION OF DECOY THERAPY (1 I.V. DOSE), NSAID AND ANTI-PD1 INDUCES INNATE IMMUNE PATHWAYS IN HCC TUMORS

H22 HCC Model

NanoString 770 gene expression analysis:
Innate immune pathways in tumor

Mice with 200 mm³ tumors were treated for 1 week before tumor removal and RNA isolation/analysis



Each horizontal row represents a different innate immune pathway gene (log base 2 scale)

POTENTIAL UTILITY AS ANTI-VIRAL THERAPY



Utility as an anti-viral therapy for Hepatitis B Virus (HBV), HIV and others

- HBV is a chronic liver infection affecting 257 million people world-wide
 - Only 2% treated with current therapies / Major cause of cirrhosis and HCC / 887,000 deaths per year
- Cytokines have strong anti-viral activity, but single, oral TLR agonists have failed in the clinic
- Multi-TLR agonist Decoy therapy is passively targeted to liver and safely induce cytokines
- Standard pre-clinical AAV-HBV mouse model of chronic HBV carried out twice:

Decoy Therapeutic Produces Broader Anti-HBV Activity Than Standard of Care Reverse Transcriptase Inhibitor Entecavir						
Inhibition (including for up to 6 months after cessation of treatment)						
	HBV Replication		Hbe Antigen		HBs Antigen	cccDNA-Like
	Plasma	Liver	Plasma	Liver	Plasma*	Molecule Liver
Entecavir	✓					
Decoy Therapeutics	✓	✓	✓	✓	✓*	✓

FOR ILLUSTRATIVE PURPOSES ONLY: the efficacy of Decoy20 has not been established in human, including with respect to its potential mechanism of action, and no head-to-head clinical trial has been conducted evaluating Decoy20 against any other candidates or products. Differences exist between study results and other characteristics, and caution should be exercised when comparing data and other factors from unrelated studies

**Mild reduction by Decoy also in liver*

TARGET INDICATIONS INCLUDE 5 OF THE WORLD'S 12 DEADLIEST CANCERS

**12 Deadliest Cancers World-Wide
(Potential Initial Tumor Types)**

		% of Yearly Deaths	% of Yearly Cases
1	Lung	18.4	11.6
2	Colorectal	9.0	10.0
3	Stomach	8.2	5.7
4	Liver	8.2	4.7
5	Breast	6.6	11.6
6	Esophagus	5.3	3.2
7	Pancreas	4.5	2.5
8	Prostate	3.8	7.1
9	Cervical	3.3	3.2
10	Leukemia	3.2	2.4
11	N-H Lymphoma	2.6	2.8
12	Bladder	2.1	3.0
Decoy Indications % of Total		42.2%	31.8%

High Unmet Medical Need

3% - 17%

Percent five-year survival
for patients with metastatic disease



Leadership experience in new modalities and early development

Jeffrey Meckler - *Chief Executive Officer*

Jeffrey Meckler currently serves as our Chief Executive Officer, bringing more than 30 years of financial and healthcare leadership experience to the company. Most recently, Jeff was the CEO of Intec Pharma, and prior to that, CEO of Cocystal Pharma, transforming it from a research company into a clinical and development company. He holds a B.S. in industrial management, an M.S. in industrial administration from the Tepper School of Business at Carnegie Mellon University, and a J.D. from Fordham University's School of Law.

Michael J. Newman, Ph.D. - *Founder and Chief Scientific Officer*

A founder of the company, Dr. Michael Newman currently serves as our Chief Scientific Officer. Most recently, he was Founder and CEO of Decoy Biosystems, where he developed the technology that serves as the foundation of Indaptus. Prior to Decoy, Michael held research or senior management positions at Roche, Sandoz, Novartis and multiple Biotech companies. Michael received a Bachelor's degree in biology from the University of California at San Diego, a Ph.D. in cell and developmental biology from Harvard Medical School (National Science Foundation Pre-doctoral Fellow) and carried out post-doctoral research at Cornell University.

Walt A. Linscott, J.D. - *Chief Operating Officer*

Walt Linscott brings three decades of global leadership, entrepreneurial and professional experience with broad business development, operational, regulatory, and transactional experience in the Life Sciences sector to his current role as Chief Business Officer at Indaptus. Most recently, he held a similar role at Intec Pharma. Walt holds a Master of Science in Experimental and Translational Therapeutics with honors from the University of Oxford, a Master's degree in Global Business from the University of Oxford and Master's degree in Entrepreneurship from Cambridge University. He earned his J.D. from the University of Dayton School of Law where he served as Managing Editor of the Law Review.

Roger J. Waltzman, M.D., M.B.A. - *Chief Medical Officer*


Roger Waltzman, M.D., M.B.A. currently serves as our Chief Medical Officer. Dr. Waltzman is a board-certified medical oncologist whose career highlights include the role of Chief Medical Officer of publicly traded company, Molecular Templates (2019-2023) and multiple senior drug development roles at Novartis Oncology (2007–2013), where he played a leading role in the development of imatinib, nilotinib, and ruxolitinib. From 2013 to 2016, Dr. Waltzman was the Full Development Head of Malaria Drug Development at Novartis. More recently, Dr. Waltzman was CMO at Rgenix (now Inspirna), where he supervised the development of immuno-oncology and metabolic inhibitor assets through Phase 1 a/b. Previously, he served as CSO at Jaguar Health and Napo Pharmaceuticals, where he led scientific aspects of development and commercialization of Mytesi® (crofelemer).

Nir Sassi - *Chief Financial Officer*

Nir Sassi currently serves as our Chief Financial Officer, bringing a broad skillset across management, corporate finance, due diligence, accounting, and financial analysis. Prior to joining Indaptus, Nir spent 11 years at Intec Pharma, starting as Vice President of Finance and ending his tenure there as Chief Financial Officer. He is a certified public accountant in Israel and holds a Bachelor's degree in economics and accounting from Ben Gurion University in Beer Sheva, Israel.

BOARD OF DIRECTORS

Leadership experience in new modalities and early development

Roger J. Pomerantz, M.D.	Chairman				
Michael J. Newman, Ph.D.	Founder, CSO, Director				
Jeffrey A. Meckler	CEO, Director				
Anthony J. Maddaluna	Director				
W. Brad Hayes	Director				
Robert Martell, PH.D., M.D.	Director				
Hila Karah	Director				
Mark J. Gilbert, M.D.	Director				



Investor & Media Relations:
investors@indaptusrx.com

